



HL3101

Lector de código de barra 2d compacto HL3101



Desarrollado para las aplicaciones más exigentes que requieren la posibilidad de realizar el escaneo de 1D Y 2D en velocidad.

Balanzas y soluciones para la venta al por menor



CARACTERÍSTICAS

- Equipado de USB HID/VCP o interfaz serie. El pequeño tamaño de solo 41,1 x 33 x 24 mm lo hace perfecto para la mayoría de las aplicaciones.
- Escaneo 1D y 2D.
- Diseño compacto.
- Instalación flexible.
- Velocidad de escaneado de 60 escaneos por segundo.
- IP65.

CODIGOS DE BARRAS COMPATIBLES

- Barcode (1D): UPC-A, UPC-A Add-on, UPC-E, UPC-E Add-on, EAN-13, EAN-13 Addon, EAN-8, EAN-8 Add-on, JAN-8, JAN-13, Code 39, ri-Optic, Codabar (NW-7), Industrial 2 of 5, Interleaved 2 of 5, S-Code, IATA, Code 93, Code 128, MSI/Plessey, UK/Plessey, TELEPEN, Matrix 2of5, Code 11, GS1 DataBar, GS1 DataBar Limited, GS1 DataBar Expanded, Composite GS1-DataBar, Composite GS1-128, Composite EAN, Composite UPC Postalcode: Chinese Post, Korean Postal Authority code
- 2D code: PDF417, MicroPDF417, Codablock F, QR Code, Micro QR Code, DataMatrix (ECC 200), MaxiCode (Modes 2 to 5), Aztec code, Chinese Sensible Code, Passport MRZ(OCR-B)

DETALLE 1



YOUR
WORLDWIDE
PARTNER

FOR RETAIL
SOLUTIONS



www.helmac.com



HEAD OFFICE

Via della Fisica, 18
41042 Spezzano di Fiorano (MO) • Italy
Tel.: +39 0536 070960

WAREHOUSE

Via della Fisica, 15
41042 Spezzano di Fiorano (MO) • Italy

SALES AND TECHNICAL ASSISTANCE SERVICE